

# Fire Proof safe



## Passed 1hr fire rathing



Passed 1Hrs UL Fire rating / Certi No. R18040



Passed NT Fire 017-120, SP Fire rating / Certi No. 106601



Passed 1Hrs JIS Fire rating / Certi No. 0DC213/9C7139



Passed 1Hrs KS Fire rating



### BK-L



- Outside : H307×W412×D362mm
- In-side : H230×W335×D224mm
- Outside : H12×W16 $\frac{1}{4}$ ×D13 $\frac{3}{4}$ inch
- In-side : H9×W13 $\frac{1}{4}$ ×D8 $\frac{3}{8}$ inch
- Approx. Wt : 30Kgs, 66Lbs
- Fittings : 1 Plastic Tray



### BK-LT



- Outside : H412×W307×D362mm
- In-side : H335×W230×D224mm
- Outside : H16 $\frac{1}{8}$ ×W12×D13 $\frac{3}{4}$ inch
- In-side : W13 $\frac{1}{4}$ ×W9×D8 $\frac{3}{8}$ inch
- Approx. Wt : 30Kg, 66Lbs
- Fittings : 1 Plastic Tray



### BK-SS



- Outside : H333×W433×D400mm
- In-side : H237×W337×D242mm
- Outside : H13 $\frac{1}{4}$ ×W17×D15 $\frac{3}{8}$ inch
- In-side : H9 $\frac{1}{4}$ ×W13 $\frac{1}{4}$ ×D9 $\frac{1}{8}$ inch
- Approx. Wt : 37Kgs, 82Lbs
- Fittings : 1 Plastic Tray



### BK-ST




- Outside : H433×W333×D400mm
- In-side : H337×W237×D257mm
- Outside : H17×W13 $\frac{1}{4}$ ×D15 $\frac{3}{8}$ inch
- In-side : H13 $\frac{1}{4}$ ×W9 $\frac{1}{4}$ ×D10 $\frac{1}{8}$ inch
- Approx. Wt : 37Kgs, 82Lbs
- Fittings : 1 Plastic Tray



### BK-S



- Outside : H346×W486×D420mm
- In-side : H226×W366×D260mm
- Outside : H13 $\frac{3}{4}$ ×W19 $\frac{1}{4}$ ×D16 $\frac{1}{2}$ inch
- In-side : H8 $\frac{3}{4}$ ×W14 $\frac{3}{4}$ ×D10 $\frac{1}{4}$ inch
- Approx. Wt : 51Kgs, 112Lbs
- Fittings : 1 Plastic Tray



### BK-T



- Outside : H486×W346×D420mm
- In-side : H366×W226×D260mm
- Outside : H19 $\frac{1}{4}$ ×W13 $\frac{3}{4}$ ×D16 $\frac{1}{2}$ inch
- In-side : H14 $\frac{1}{4}$ ×W8 $\frac{3}{4}$ ×D10 $\frac{1}{4}$ inch
- Approx. Wt : 51Kgs, 112Lbs
- Fittings : 1 Plastic Tray

\* Hinge(W) 28mm is included, except dial height.

Lock option : EDL, Combination dial lock. Finger print lock, IC card lock



**PBK-L**



- Outside : H307×W412×D362mm
- In-side : H230×W335×D224mm
- Outside : H12×W16½×D14¼inch
- In-side : H9×W13¼×D8¾inch
- Approx. Wt : 30Kgs, 66Lbs
- Fittings : 1 Plastic Tray



**PBK-LT**



- Outside : H412×W307×D362mm
- In-side : H335×W230×D224mm
- Outside : H16½×W12×D14¼inch
- In-side : W13¼×W9×D8¾inch
- Approx. Wt : 30Kg, 66Lbs
- Fittings : 1 Plastic Tray



**PBK-SS**



- Outside : H333×W433×D400mm
- In-side : H237×W337×D242mm
- Outside : H13¼×W17×D15¼inch
- In-side : H9¼×W13¼×D9½inch
- Approx. Wt : 37Kgs, 82Lbs
- Fittings : 1 Plastic Tray



**PBK-ST**



- Outside : H433×W333×D400mm
- In-side : H337×W237×D257mm
- Outside : H17×W13¼×D15¼inch
- In-side : H13¼×W9¼×D10¼inch
- Approx. Wt : 37Kgs, 82Lbs
- Fittings : 1 Plastic Tray



**PBK-S**



- Outside : H346×W486×D420mm
- In-side : H226×W366×D260mm
- Outside : H13¼×W19¼×D16½inch
- In-side : H8 ⅞×W14¾×D10¼inch
- Approx. Wt : 51Kgs, 112Lbs
- Fittings : 1 Plastic Tray



**PBK-T**



- Outside : H486×W346×D420mm
- In-side : H366×W226×D260mm
- Outside : H19¼×W13¼×D16½inch
- In-side : H14¾×W8¾×D10¼inch
- Approx. Wt : 51Kgs, 112Lbs
- Fittings : 1 Plastic Tray



### Passed 1hr fire rathing

Passed 2Hrs SP Fire rating / Certi No, 106601/106602

Passed 1Hrs JIS Fire rating / Certi No, 9C7139/23722

Passed 1Hrs KS Fire rating



#### BK-R




- Outside : H506×W435×D502mm
- In-side : H386×W315×D325mm
- Outside : H19 $\frac{1}{4}$ ×W17 $\frac{1}{4}$ ×D19 $\frac{3}{4}$ inch
- In-side : H15 $\frac{1}{4}$ ×W12 $\frac{3}{8}$ ×D12 $\frac{3}{4}$ inch
- Approx. Wt : 73Kgs, 161Lbs
- Fittings : 1 Plastic tray, 1 Adjustable shelf



#### PBK-R



- Outside : H506×W435×D502mm
- In-side : H386×W315×D325mm
- Outside : H19 $\frac{1}{4}$ ×W17 $\frac{1}{4}$ ×D19 $\frac{3}{4}$ inch
- In-side : H15 $\frac{1}{4}$ ×W12 $\frac{3}{8}$ ×D12 $\frac{3}{4}$ inch
- Approx. Wt : 73Kgs, 161Lbs
- Fittings : 1 Plastic tray, 1 Adjustable shelf



#### PBK-R (H)



- Outside : H506×W435×D502mm
- In-side : H386×W315×D325mm
- Outside : H19 $\frac{1}{4}$ ×W17 $\frac{1}{4}$ ×D19 $\frac{3}{4}$ inch
- In-side : H15 $\frac{1}{4}$ ×W12 $\frac{3}{8}$ ×D12 $\frac{3}{4}$ inch
- Approx. Wt : 73Kgs, 161Lbs
- Fittings : 1 Plastic tray, 1 Adjustable shelf



#### PBK-R (F)




- Outside : H506×W435×D502mm
- In-side : H386×W315×D325mm
- Outside : H19 $\frac{1}{4}$ ×W17 $\frac{1}{4}$ ×D19 $\frac{3}{4}$ inch
- In-side : H15 $\frac{1}{4}$ ×W12 $\frac{3}{8}$ ×D12 $\frac{3}{4}$ inch
- Approx. Wt : 73Kgs, 161Lbs
- Fittings : 1 Plastic tray, 1 Adjustable shelf



#### BK-90



- Outside : H680×W452×D516mm
- In-side : H480×W312×D324mm
- Outside : H26 $\frac{3}{8}$ ×W17 $\frac{1}{2}$ ×D20 $\frac{1}{2}$ inch
- In-side : H18 $\frac{1}{2}$ ×W12 $\frac{1}{2}$ ×D12 $\frac{1}{2}$ inch
- Approx. Wt : 94Kgs/207Lbs
- Fittings : 1 Plastic tray, 1 Adjustable shelf



#### PBK-90



- Outside : H680×W452×D516mm
- In-side : H480×W312×D324mm
- Outside : H26 $\frac{3}{8}$ ×W17 $\frac{1}{2}$ ×D20 $\frac{1}{2}$ inch
- In-side : H18 $\frac{1}{2}$ ×W12 $\frac{1}{2}$ ×D12 $\frac{1}{2}$ inch
- Approx. Wt : 94Kgs/207Lbs
- Fittings : 1 Plastic tray, 1 Adjustable shelf

\* Hinge(W) 37mm, Dial(D) 28mm is included.


※ Fingerprint device is available for your requirement.



**BK-M**




- Outside : H628×W494×D550mm
- In-side : H16 $\frac{3}{4}$ ×W13 $\frac{3}{8}$ ×D13 $\frac{3}{8}$ inch
- In-side : H424×W345×D341mm
- Approx. Wt : 100Kgs/220Lbs
- Outside : H24 $\frac{3}{4}$ ×W19 $\frac{1}{2}$ ×D21 $\frac{1}{8}$ inch
- Fittings : 1 Plastic tray, 2 Adjustable shelves



**PBK-M**



- Outside : H628×W494×D550mm
- In-side : H16 $\frac{3}{4}$ ×W13 $\frac{3}{8}$ ×D13 $\frac{3}{8}$ inch
- In-side : H424×W345×D341mm
- Approx. Wt : 100Kgs/220Lbs
- Outside : H24 $\frac{3}{4}$ ×W19 $\frac{1}{2}$ ×D21 $\frac{1}{8}$ inch
- Fittings : 1 Plastic tray, 2 Adjustable shelves



**BK-K**




- Outside : H718×W494×D550mm
- In-side : H20 $\frac{1}{4}$ ×W13 $\frac{3}{8}$ ×D13 $\frac{3}{8}$ inch
- In-side : H514×W345×D341mm
- Approx. Wt : 127Kgs, 280Lbs
- Outside : H28 $\frac{1}{4}$ ×W19 $\frac{1}{2}$ ×D21 $\frac{1}{8}$ inch
- Fittings : 1 Plastic tray, 2 Adjustable shelves



**PBK-K**




- Outside : H718×W494×D550mm
- In-side : H20 $\frac{1}{4}$ ×W13 $\frac{3}{8}$ ×D13 $\frac{3}{8}$ inch
- In-side : H514×W345×D341mm
- Approx. Wt : 127Kgs, 280Lbs
- Outside : H28 $\frac{1}{4}$ ×W19 $\frac{1}{2}$ ×D21 $\frac{1}{8}$ inch
- Fittings : 1 Plastic tray, 2 Adjustable shelves



**BK-H**



- Outside : H675×W478×D533mm
- In-side : H18 $\frac{1}{2}$ ×W12 $\frac{1}{2}$ ×D12 $\frac{1}{2}$ inch
- In-side : H464×W329×D330mm
- Approx. Wt : 110Kgs, 240Lbs
- Outside : H26 $\frac{1}{4}$ ×W18 $\frac{1}{2}$ ×D20 $\frac{1}{2}$ inch
- Fittings : 1 Plastic Tray, 2 Adjustable Shelves



**PBK-H**



- Outside : H675×W478×D533mm
- In-side : H18 $\frac{1}{2}$ ×W12 $\frac{1}{2}$ ×D12 $\frac{1}{2}$ inch
- In-side : H464×W329×D330mm
- Approx. Wt : 110Kgs, 240Lbs
- Outside : H26 $\frac{1}{4}$ ×W18 $\frac{1}{2}$ ×D20 $\frac{1}{2}$ inch
- Fittings : 1 Plastic Tray, 2 Adjustable Shelves

※ Foot(H) 55mm & Facia(W) 37mm is included.